CRAZY TUBE CIRCUITS HEATSEEKER
(Dual Preamp Enhancer / Amp-in-a-box)



- Item: 66607
- EAN: 5214001261475
- Packaging Dimensions: 14.7 x 10.3 x 6.5 cm
- Weight: 0.51 kg
- Images | Translations | User Manual

Need to Know For Retailers

- Follows the successful concept of Crazy Tube's "Unobtanium", "Hi Power", and "Crossfire": All-analog dual pedal designed to recreate a legendary pedal and amp combination.
- Inspired by the tones of the gear setup used by Angus Young.
- Right side: re-creation of the preamp/tone enhancer circuit of the Schaffer Vega Diversity System.
- Left side: 3 distinct Marshall amps-in-a-box: JTM45, 1959 Super Lead, JMP 2203.
- Passive series effects loop to connect pedals between the two sections or use them separately as independent effects.

Full Feature List

- All-analog preamp/enhancer – amp in a box.
- Recreates the tones of the gear setup used by Angus Young.
- Right side: re-creation of the preamp/tone enhancer-expander circuit of the Schaffer Vega Diversity System.
- Enhance control amplifies your guitar's dynamic response and harmonics.
- Level controls the output/boost of the preamp circuit.
- Left side: All analog simulation of the preamp and power amp sound and response of 3 distinct Marshall amplifiers: JTM45, Super Lead Plexi, JMP 2203.
- Volume (gain) control: control the amount of amp drive/saturation. From clean to mean.
- 3 band Marshall style EQ (bass, middle, treble).
- Presence controls the amount of upper mid and high frequencies to match the pedal to any gear setup.
- Master knob sets overall output volume. Designed to produce more gain at higher settings.
- Amp voicing toggle: select between JTM45, Super Lead Plexi, JMP2203 amp voicing.
- Wall of Sound (WoS) toggle switch: increase soundstage – output.
- Independent operation of the left and right sections.
- Click-less true bypass design via high quality relays for each section.
- 2 Footswitches/2 Status LEDs - one for each effect section.
- Power-up bypass/engage preset function for the footswitches.
- Top mounted jacks.
- Passive series effects loop to connect pedals between the two sections or use them separately as independent effects.
- Power Supply: Use only 9V DC, 2.1 mm x 5.5 mm, center negative (not included).
- Runs internally at 27V DC (via internal voltage boost circuit) for higher headroom and tube-like performance.
- Current consumption 115mA.
- Flame Red die-cast enclosure with color-coded lettering for the control section (white for the PREAMP/ENHANCE section, black for AMP section).
- Dimensions (W x L x H) : 119 x 97x 53mm.
- Weight 422 g.
- Made in Greece.

Description

For those about to rock... we created the Heatseeker!

The sound of a classic wireless system meets three iconic amps that helped shape the history of rock. From its inception/invention, in the mid-70s, this wireless system has been the secret recipe to major rock guitar rigs. The magic ingredient lies to its analog preamp/ tone enhancer circuit that expands the dynamic response and harmonics of any signal that goes through it. By producing a modern recreation of this hidden gem, we have ensured enough percussive attack to spice up your tone.

Utilizing an all-analog JFET circuit, running on 27 volts via an internal voltage boost, we have captured the tone and feel of three British tube amplifiers synonymous with the sound of rock and roll with excellent clean-to-mean dynamic response. Our “WoS" (Wall of Sound) circuit opens up the soundstage by increasing output and adding thundering lows and dense high mids. The effect is similar to “adding” a wall of amp heads and full stacks to your rig!

A passive effects loop gives you the option to connect your beloved pedals between the two sections, building your ideal rig.



[CRAZY TUBE CIRCUITS HEATSEEKER - B2B Download Link]


FOR THOSE
ABOUT TO ROCK...
INPUTS
HEATSEEKER
enhance
level